


Ovation®

1581

Service Parts Reference

A	Neck Assembly	1581-X-700	Adamas II, 6-String, Neck Assembly, deep cutaway
1	Machine Heads	850020-X-17	Machine Head Set 6-String Gold, Schaller M6Ga with Pin
2	Truss Rod Cover	N/A	None
3	String Nut	930015-X	Bone Nut - 6 String
4	Fret Set	950090-X	Fret Wire - Coiled 16" I.D.
B	Top & Bowl Assembly	1581-X-200	Adamas Unidirectional Textured Top & Bowl Assembly, deep c/a
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800720-X	Epaulette Assembly, Adamas Cutaway
	Pre-amp Receptacle	N/A	N/A
8	Pre-amp/Jack	708936-X	TKS Preamp (Two Knob Stereo FET - Amp) w/ Battery Box & Washer
9	Bridge	810331-X	Bridge, Adamas II, 6-String Walnut
10	Pickup Assy/ Saddle Only	702100-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	700342-X-00	Cover, Battery Box
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	500601-X-11	Screw (SEMS)-1/4-20 X 7/8-Hex
	Neck Bolt, Upper Neck Support Block	N/A	N/A





1581

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, K-Bar
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	Adamas II Impregnated Maple Inlays - Large
Neck Construction	5 Piece
Neck Finish	Gloss
Neck Reinforcement	Kaman Bar, Deep Heel
Neck Shape	Traditional Adamas, Soft V
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	TKS Preamp (Two Knob Stereo FET - Amp) w/ Battery Box & Washer
Rosette / Epaulets	Epaulette Assembly, Adamas Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Textured, Birch Core, Top Blank
Truss Rod Adjustment Location	Neck Tenon




Ovation®

1597

Service Parts Reference

A	Neck Assembly	1597-X-700	Adamas SMT Neck Assembly, mid depth
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	1597-X-200	Adamas SMT Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708900-X-CAN	OP-50 1/4" Jack Can
8	Pre-amp	708900-X	OP-50 Preamp Assembly
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4






1597

Model Specifications


Bowl	Bowl - Mid Depth Cutaway, K-Bar
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	Adamas II Impregnated Maple Inlays - Large
Neck Construction	5 Piece
Neck Finish	Gloss
Neck Reinforcement	Kaman Bar, Deep Heel
Neck Shape	Traditional Adamas, Soft V
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	TKS Preamp (Two Knob Stereo FET - Amp) w/ Battery Box & Washer
Rosette / Epaulets	Epaulette Assembly, Adamas Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Textured, Birch Core, Top Blank
Truss Rod Adjustment Location	Neck Tenon



Ovation[®] 1597-VIP

Service Parts Reference

A	Neck Assembly	1597-X-700	Adamas SMT Neck Assembly, mid depth
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	1597-X-200	Adamas SMT Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	70939-X-CAN	VIP 1/4" Jack with XLR Can
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1597-VIP

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Smooth, Birch Core, Top Blank, From Adamas Cost Sheets
Truss Rod Adjustment Location	Headstock




Ovation[®]

1598

Service Parts Reference

A	Neck Assembly	1598-X-700	Adamas 12-String SMT Neck Assembly, mid depth
1	Machine Heads	850480-X-17	Machine Head Set, 12 String - Minis - Gold w/ Pearl Buttons
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	1598-X-200	Adamas 12-String SMT Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708900-X-CAN	OP-50 1/4" Jack Can
8	Pre-amp	708900-X	OP-50 Preamp Assembly
9	Bridge	811161-X	Bridge - Full Size - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1598

Model Specifications


Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-50 Preamp Assembly
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Smooth, Birch Core, Top Blank, From Adamas Cost Sheets
Truss Rod Adjustment Location	Headstock



Ovation[®] 1598-VIP

Service Parts Reference

A	Neck Assembly	1598-X-700	Adamas 12-String SMT Neck Assembly, mid depth
1	Machine Heads	850480-X-17	Machine Head Set, 12 String - Minis - Gold w/ Pearl Buttons
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	1598-X-200	Adamas 12-String SMT Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	70939-X-CAN	VIP 1/4" Jack with XLR Can
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	811161-X	Bridge - Full Size - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1598-VIP

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Smooth, Birch Core, Top Blank
Truss Rod Adjustment Location	Headstock




Ovation®

1618

Service Parts Reference

A	Neck Assembly	1618-X-701	Glen Campbell Slot Head Neck, 12-String Deep
1	Machine Heads	850528-X-17	Machine Head Set - Side Mount Mini, Gold w/ Small Acrylic Buttons, Schaller
2	Truss Rod Cover	940012-X-00	Truss Rod Cover, Black Plastic w/ Glen Campbell
3	String Nut	930020-X	Bone Nut - 12 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	1618-X-200	Glen Campbell 12-String Fiberglass Top & Bowl deep
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800012-X	Rosette Casing - Large Hot Stamped Oak Leaf
	Pre-amp Receptacle	N/A	N/A
8	Pre-amp	708935-X	SKM Preamp (Single Knob Mono FET) w/ Battery Box & Washer
9	Bridge	811111-X	Bridge Detail, 12-String No Slot, Walnut
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	700342-X-00	Cover, Battery Box
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	N/A	None





1618

Model Specifications

Bowl	Bowl - Deep Non Cutaway Fiberglass
Bowl Paint Color	Brown Textured
Brace Pattern	Brace Set, Model 1618
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 12-String
Inlay Material & Pattern	Inlay - Round Poly Iridescent, Large
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Traditional Series
Neck To Body Joint Location	12th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	7 Degree
Pre-amp	SKM Preamp (Single Knob Mono FET) w/ Battery Box & Washer
Rosette / Epaulets	Rosette Casing - Large Hot Stamped Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock






1627

Service Parts Reference

A	Neck Assembly	1627-X-700	Glen Campbell Neck Assembly, old style shallow
1	Machine Heads	850020-X-17	Machine Head Set 6-String Gold, Schaller M6Ga with Pin
2	Truss Rod Cover	940012-X-00	Truss Rod Cover, Black Plastic w/ Glen Campbell
3	String Nut	930015-X	Bone Nut - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Center Sound Hole 6-String
B	Top & Bowl Assembly	1627-X-200	Glen Campbell Top & Bowl Assembly, fiberglass old style shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800012-X	Rosette Casing - Large Hot Stamped Oak Leaf
	Pre-amp Receptacle	N/A	N/A
8	Pre-amp	708935-X	SKM Preamp (Single Knob Mono FET) w/ Battery Box & Washer
9	Bridge	810601-X	Bridge Detail - 6-String Balladeer, No Slot, Long, Walnut
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	700342-X-00	Cover, Battery Box
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	N/A	None
	Neck Bolt, Upper Neck Support Block	N/A	None





1627

Model Specifications


Bowl	Bowl - Deep Non Cutaway Fiberglass
Bowl Paint Color	Brown Textured
Brace Pattern	Brace Set, A, Non-Cutaway
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Round Poly Iridescent, Large
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Traditional Series
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	SKM Preamp (Single Knob Mono FET) w/ Battery Box & Washer
Rosette / Epaulets	Rosette Casing - Large Hot Stamped Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock



Ovation® 1680-NWT

Service Parts Reference

A	Neck Assembly	1680-X-700	Adamas Slot Head 1 3/4" Neck Assembly, deep non cutaway
1	Machine Heads	850390-X-17	Machine Head Set - Side Mount, Gold w/ Ebony Buttons, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	940527-X-15	String Nut, Black, Tusq, 1 3/4"
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	1680-X-200	Adamas 2 * 2 Twill, Walnut Epaulette, deep non-cutaway
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	910322-X	Epaulette Set, Non-cutaway, Walnut
7	Pre-amp Receptacle	708942-X	VIP Receptacle Assembly
8	Pre-amp/Output Jack	708939-X	VIP Preamp Module, Complete
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X-00 700714-X-19	Saddle-one Piece-a/e-classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	N/A	N/A
	Neck Bolt, Upper Neck Support Block	N/A	N/A





1680-NWT

Model Specifications

Bowl	Bowl - Deep Non Cutaway, K-Bar, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Quintad
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Adamas I Fingerboard, MOP, Large
Neck Construction	2 Piece
Neck Finish	Satin Urethane Neck/Gloss Peghead Face
Neck Reinforcement	Dual Acting Truss Rod, Classic Length
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	12th Fret
Neck Width At Nut	1 3/4"
Peg head Angle	7 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Epaulette Set, Non-cutaway, Walnut
Scale Length	25 1/4"
Top Material & Grade	Adamas 2 * 2 Twill, Textured, Plywood Core, Top Blank From Adamas Cost Sheets
Truss Rod Adjustment Location	Headstock




Ovation®

1687

Service Parts Reference

A	Neck Assembly	1687-X-700	Adamas I, 6-String, Neck Assembly, deep non cutaway
1	Machine Heads	850020-X-17	Machine Head Set 6-String Gold, Schaller M6Ga with Pin
	Truss Rod Cover	N/A	None
3	String Nut	930015-X	Bone Nut - 6 String
4	Fret Set	950090-X	Fret Wire - Coiled 16" I.D.
B	Top & Bowl Assembly	1687-X-200	Adamas Unidirectional Textured Top & Bowl Assembly, deep
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800290-X	Epaulette Assembly, Adamas Non-Cutaway, Paduk Tipped
	Pre-amp Receptacle	N/A	N/A
8	Pre-amp/Output Jack	708936-X	TKS Preamp (Two Knob Stereo FET - Amp) w/ Battery Box & Washer
9	Bridge	810254-X	Bridge, Adamas I, 6-String Walnut
10	Pickup Assy/ Saddle Only	702100-X 700714-X-19	(Stereo) Saddle One-piece A/E Classic
	Battery Cover	700342-X-00	Cover, Battery Box
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	500601-X-11	Screw (SEMS)-1/4-20 X 7/8-Hex
	Neck Bolt, Upper Neck Support Block	N/A	None





1687

Model Specifications


Bowl	Bowl - Deep Non Cutaway, K-Bar, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Non Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	Adamas I Impregnated Maple Inlays - Large
Neck Construction	Two Piece
Neck Finish	Satin
Neck Reinforcement	Kaman Bar, Deep Heel
Neck Shape	Traditional Adamas, Soft V
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	TKS Preamp (Two Knob Stereo FET - Amp) w/ Battery Box & Washer
Rosette / Epaulets	Epaulette Assenbly, Adamas Non-Cutaway, Paduk Tipped
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Textured, Birch Core, Top Blank
Truss Rod Adjustment Location	Neck Tenon



Ovation[®] 1769-ADII

Service Parts Reference

A	Neck Assembly	1769ADII-X-700	Al DiMeola II Neck Assembly, deep
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
	Truss Rod Cover		None
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	1769ADII-X-200	Al DiMeola II Top & Bowl Assembly, deep cutaway
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801292-X	Rosette - Acrylic Inlaid Abalone Oak Leaf
7	Pre-amp Receptacle	708924-X-CAN	OP-PRO 1/4" Jack with XLR Can
8	Pre-amp	708924-A	OP-PRO Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811121-X	Bridge - Carved - Ebony, 6 String
10	Pickup Assy/ Saddle Only	702100-X 700714-X-19	Saddle One-piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-A-00	Screw, Cap - 1/4-20 X 3/4





1769-ADII

Model Specifications

Bowl	Bowl - Deep Cutaway, K-Bar, No Window, Al Di Meola
Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - A, Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Round, Abalone, Large
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Kaman Bar, Deep Heel
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Rosette - Acrylic Inlaid Abalone Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Neck Tenon






1771LX

Service Parts Reference

A	Neck Assembly	1771LX-X-700	Standard Balladeer LX Neck Assembly, mid depth
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Number & Size	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	1771LX-X-200	Standard Balladeer LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801386-X	Rosette - Acrylic Inlaid Oakleaf
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Bridge - Short - Rosewood, No Slot 6 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1771LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Oakleaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






1773LX

Service Parts Reference

A	Neck Assembly	1773LX-X-700	Classic LX Neck Assembly, mid depth
1	Machine Heads	850526-X-17	Side Mount, Gold w/ Ebony Buttons & Bushing, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	940540-X	Tusq Nut, 1 7/8" Ivory
4	Fret Set	1773-X-690A	19 Standard Notched Fret Set, Classic 6-String
B	Top & Bowl Assembly	1773LX-X-200	Classic LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	703700-X 700715-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-AX-00	Screw, Cap - 1/4-20 X 3/4





1773LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Classic
Fingerboard Radius	0"
Fret Number & Size	19 Standard Notched Fret Set, Classic 6-String
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Dual Acting Truss Rod, Classic Length
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	12th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	7 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
Scale Length	26 3/16"
Top Material & Grade	Bookset - Cedar (Matched)
Truss Rod Adjustment Location	Headstock






1777LX

Service Parts Reference

A	Neck Assembly	1777LX-X-700	Legend LX Neck Assembly, mid depth
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	1777LX-X-200	Legend LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6- String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1777LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






1778LX

Service Parts Reference

A	Neck Assembly	1778LX-X-700	Elite LX Neck Assembly, mid depth
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	1778LX-X-200	Elite LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack; Std. Location on Bowl
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1778LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Elite Small #1 Alante
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






1861LX

Service Parts Reference

A	Neck Assembly	1861LX-X-700	Standard Balladeer LX Neck Assembly, super shallow
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	1861LX-X-200	Standard Balladeer LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801386-X	Rosette - Acrylic Inlaid Oakleaf
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Bridge - Short - Rosewood, No Slot 6 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1861LX

Model Specifications

Bowl	Bowl - Super Shallow Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Oakleaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






1863LX

Service Parts Reference

A	Neck Assembly	1863LX-X-700	Classic LX Neck Assembly, super shallow
1	Machine Heads	850526-X-17	Side Mount, Gold w/ Ebony Buttons & Bushing, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	940540-X	Tusq Nut, 1 7/8" Ivory
4	Fret Set	1773-X-690A	19 Standard Notched Fret Set, Classic 6-String
B	Top & Bowl Assembly	1863LX-X-200	Classic LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	703700-X 700715-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1863LX

Model Specifications

Bowl	Bowl - Super Shallow Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Classic
Fingerboard Radius	0"
Fret Number & Size	19 Standard Notched Fret Set, Classic 6-String
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	12th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	7 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
Scale Length	26 3/16"
Top Material & Grade	Bookset - Cedar (Matched)
Truss Rod Adjustment Location	Headstock






1866LX

Service Parts Reference

A	Neck Assembly	1866LX-X-700	Legend 12-String LX Neck Assembly, super shallow
1	Machine Heads	850340-X-17	Machine Head Set - Gold w/ Ovation Logo 12 String
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1866-X-690B	20 Standard Notched Fret Set, Center Sound Hole 12-String
B	Top & Bowl Assembly	1866LX-X-200	Legend 12-String LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811771-X	Bridge - Short - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1866LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






1867LX

Service Parts Reference

A	Neck Assembly	1867LX-X-700	Legend LX Neck Assembly, super shallow
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	1867LX-X-200	Legend LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1867LX

Model Specifications

Bowl	Bowl - Super Shallow Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






1868T

Service Parts Reference

A	Neck Assembly	1868T-X-700	Elite T LX Neck Assembly, super shallow
1	Machine Heads	850310-X-00	Machine Head Set- Black Chrome w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930008-X-00	String Nut - Black Celcon - 1 11/16"
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	1868T-X-200	Elite T Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-00	Strap Lock - Dual Design, Black
6	Rosette / Epaulets		None
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	(Black) Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





1868T

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	2 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






2005ES

Service Parts Reference

A	Neck Assembly	2005ES-X-700	2005 Collectors' LX Neck Assembly, deep contour
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	2005ES-X-200	2005 Collectors' LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	910302-X	Rosette Insert - Abalone
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO 1/4" Jack; Std. Location on Bowl
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2005ES

Model Specifications

Bowl	Bowl - Deep Contour Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Contour Inlay, Abalone
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO 1/4" Jack; Std. Location on Bowl
Rosette / Epaulets	Rosette Insert - Abalone
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset - Englemann "AA"
Truss Rod Adjustment Location	Headstock




Ovation®

2006FKOA

Service Parts Reference

A	Neck Assembly	2005ES-X-700	2005 Collectors' LX Neck Assembly, deep contour
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	2006VIPK-X-200	2005 Collectors' LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	910302-X	Rosette Insert - Abalone
7	Pre-amp Receptacle	708942-X	OP-PRO 1/4" Jack Can
8	Pre-amp	708939-X	OP-PRO 1/4" Jack; Std. Location on Bowl
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2006FKOA

Model Specifications

Bowl	Bowl - Deep Contour Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	22 Standard Notched Fret Set, Elite 6-String
Inlay Material & Pattern	12th Fret Contour Inlay, Koa, with Collectors' Lasered
Neck Construction	One Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	One Piece AAA Flame Maple
Scale Length	25 1/4"
Top Material & Grade	AAA Koa Flame Bookset
Truss Rod Adjustment Location	Headstock






2007BC

Service Parts Reference

A	Neck Assembly	2007BCS-X-700	2007 Collectors' LX Neck Assembly, deep contour
1	Machine Heads	850310-X-00	Machine Head Set- Black Chrome w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930067-X-00	String Nut, 6-String 1 11/16", Black Graph Tech
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	N/A	N/A
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets		One Piece Spalted Maple (Bass Side Only)
7	Pre-amp Receptacle	708942-X	VIP Receptacle Assembly
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2007BC

Model Specifications

Bowl	Bowl - Deep Contour Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	22 Standard Notched Fret Set, Elite 6-String
Inlay Material & Pattern	12th Fret Inlay, Flame Maple, with Collectors' Lasered
Neck Construction	5 Piece
Neck Finish	Satin Conversion Varnish with Gloss Peghead
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete






2008-5

Service Parts Reference

A	Neck Assembly	2007-X-700	Adamas Walnut Slot Head 1 3/4" Neck Assembly, Contour
1	Machine Heads	850527-X-17	Machine Head Set - Side Mount Mini, Gold w/ Gold Buttons, Schaller
2	Truss Rod Cover	910295-X	Truss Rod Cover - Walnut
3	String Nut	930015-X	Bone Nut - 6 String
4	Fret Set	950090-X	Fret Wire - Coiled 16" I.D.
B	Top & Bowl Assembly	2008-X-200	Adamas Unidirectional Textured Top & Fiberglass Contour Bowl
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800720-X	Epaulette Assembly, Adamas Cutaway
7	Pre-amp Receptacle	708942-X	VIP Receptacle Assembly
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	810251-X	Bridge, Adamas I, 6-String Walnut
10	Pikup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	N/A	N/A
	Neck Bolt, Upper Neck Support Block	N/A	N/A





2008-5

Model Specifications


Bowl	Bowl - Deep Contour Cutaway, Fiberglass, No Neck Block, No Window
Bowl Paint Color	Black Textured w/ gold flake
Brace Pattern	1187 Cutaway Quintad
Fingerboard Radius	10"
Fret Number & Size	Fret Wire - Coiled 16" I.D.
Inlay Material & Pattern	Lasered Gold Leaf w/ "Collectors' " b/w 15th & 16th frets
Neck Construction	2 Piece
Neck Finish	Satin Urethane Neck/Satin Peghead Face, Numbered 1 of 100, etc.
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 3/4"
Peg head Angle	7 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Epaulette Assembly, Adamas Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Textured, Birch Core, Top Blank
Truss Rod Adjustment Location	Headstock



Ovation[®] 2058T

Service Parts Reference

A	Neck Assembly	2058T-X-700	Elite T 12-String, LX Neck Assembly, deep contour
1	Machine Heads	850340-X-00	Machine Head Set - Black w/ Ovation Logo 12 String
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930011-X-00	String Nut - Black Celcon -12 String 1 7/8"
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	2058T-X-200	Elite T 12-String Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets		None
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811771-X	Bridge - Short - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2058T

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	2 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock




Ovation®

2077LX

Service Parts Reference

A	Neck Assembly	2077LX-X-700	Legend LX Neck Assembly, deep contour
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	2077LX-X-200	Legend LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2077LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock




Ovation®

2078T

Service Parts Reference

A	Neck Assembly	1778T-X-700	Elite T LX Neck Assembly, mid depth
1	Machine Heads	850310-X-00	Machine Head Set- Black Chrome w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930008-X-00	String Nut - Black Celcon - 1 11/16"
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	1778T-X-200	Elite T Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-00	Strap Lock - Dual Design, Black
6	Rosette / Epaulets		None
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	(Black) Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2078T

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	2 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock




Ovation®

2080-NWT

Service Parts Reference

A	Neck Assembly	2080-X-700	Adamas Walnut LX Neck Assembly, deep contour
1	Machine Heads	850300-X-14	Machine Head Set, 3 & 3, Satin Chrome w/ Ebony Buttons, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930067-X-00	String Nut, 6-String 1 11/16", Black Graph Tech
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	2080-X-200	Adamas 2 * 2 Twill, Aluminum Tear Drop Sound Port, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801389-X	Aluminum Tear Drop Sound Hole Treatment
7	Pre-amp Receptacle	708942-X	VIP Receptacle Assembly
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2080-NWT

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Contour Inlay, MOP
Neck Construction	2 Piece
Neck Finish	Satin Urethane Neck/Gloss Peghead Face
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Aluminum Tear Drop Sound Hole Treatment
Scale Length	25 1/4"
Top Material & Grade	Adamas 2 * 2 Twill, Textured, Plywood Core, Top Blank From Adamas Cost Sheets
Truss Rod Adjustment Location	Headstock




Ovation[®]

2751LX

Service Parts Reference

A	Neck Assembly	2751LX-X-700	Standard Balladeer 12-String LX Neck Assembly, deep contour
1	Machine Heads	850340-X-15	Machine Head Set - Chrome w/ Ovation Logo 12 String
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1866-X-690B	20 Standard Notched Fret Set, Center Sound Hole 12-String
B	Top & Bowl Assembly	6751LX-X-200	Standard Balladeer 12-String LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801386-X	Rosette - Acrylic Inlaid Oakleaf
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811831-X	Short - Rosewood, No Slot 12 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2751LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 12-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Oakleaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






2758LX

Service Parts Reference

A	Neck Assembly	2758LX-X-700	Standard Elite 12-String LX Neck Assembly, deep contour
1	Machine Heads	850340-X-15	Machine Head Set - Chrome w/ Ovation Logo 12 String
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	2758LX-X-200	Standard Elite 12-String Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811831-X	Short - Rosewood, No Slot 12 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2758LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






2771LX

Service Parts Reference

A	Neck Assembly	2771LX-X-700	Standard Balladeer LX Neck Assembly, deep contour
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	2771LX-X-200	Standard Balladeer LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801386-X	Rosette - Acrylic Inlaid Oakleaf
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Short - Rosewood, No Slot 6 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E ClassicC
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





2771LX

Model Specifications

Bowl	Bowl - Deep Contour Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Oakleaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






2778LX

Service Parts Reference

A	Neck Assembly	2778LX-X-700	Standard Elite LX Neck Assembly, deep contour
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	2778LX-X-200	Standard Elite LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Short - Rosewood, No Slot 6 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-A-00	Screw, Cap - 1/4-20 X 3/4





2778LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock




Ovation®

6751LX

Service Parts Reference

A	Neck Assembly	6751LX-X-700	Standard Balladeer 12-String LX Neck Assembly, mid depth
1	Machine Heads	850340-X-15	Machine Head Set - Chrome w/ Ovation Logo 12 String
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1866-X-690B	20 Standard Notched Fret Set, Center Sound Hole 12-String
B	Top & Bowl Assembly	6751LX-X-200	Standard Balladeer 12-String LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801386-X	Rosette - Acrylic Inlaid Oakleaf
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811831-X	Bridge - Short - Rosewood, No Slot 12 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





6751LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 12-String
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Acrylic Inlaid Oakleaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






6756LX

Service Parts Reference

A	Neck Assembly	6756LX-X-700	Legend 12-String LX Neck Assembly, mid depth
1	Machine Heads	850340-X-17	Machine Head Set - Gold w/ Ovation Logo 12 String
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1866-X-690B	20 Standard Notched Fret Set, Center Sound Hole 12-String
B	Top & Bowl Assembly	6756LX-X-200	Legend 12-String LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801270-X	Rosette - Acrylic Inlaid Polyester MOP Oak Leaf
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811771-X	Bridge - Short - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





6756LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






6758LX

Service Parts Reference

A	Neck Assembly	6778LX-X-700	Standard Elite LX Neck Assembly, mid depth
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	6778LX-X-200	Standard Elite LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Bridge - Short - Rosewood, No Slot 6 String
10	Pikup Assy/ Saddle Only	700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





6758LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock




Ovation®

6758T

Service Parts Reference

A	Neck Assembly	6758T-X-700	Elite T 12-String, LX Neck Assembly, mid depth
1	Machine Heads	850340-X-00	Machine Head Set - Black w/ Ovation Logo 12 String
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930011-X-00	String Nut - Black Celcon -12 String 1 7/8"
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	6758T-X-200	Elite T 12-String Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-00	Strap Lock - Dual Design, Black
6	Rosette / Epaulets		None
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811771-X	Short - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X-00 700714-X-19	(Black) Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16





6758T

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	2 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






6773LX

Service Parts Reference

A	Neck Assembly	6773LX-X-700	Artist LX Neck Assembly, mid depth
1	Machine Heads	850526-X-17	Side Mount, Gold w/ Ebony Buttons & Bushing, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	940527-X	String Nut, Tusq, 1 3/4"
4	Fret Set	6773-X-690A	20 Standard Notched Fret Set, Artist 6-String
B	Top & Bowl Assembly	6773LX-X-200	Artist LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801370-X	Rosette - Folklore Deluxe
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	703700-X-00 700715-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





6773LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	Artist
Fingerboard Radius	0"
Fret Number & Size	20 Standard Notched Fret Set, Artist 6-String
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Satin Urethane Neck/Gloss Peghead Face
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 3/4"
Peg head Angle	7 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Folklore Deluxe
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






6774LX

Service Parts Reference

A	Neck Assembly	6774LX-X-700	Folklore LX Neck Assembly, mid depth
1	Machine Heads	850390-X-17	Machine Head Set - Side Mount, Gold w/ Ebony Buttons, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	940527-X	String Nut, Tusq, 1 3/4"
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	6774LX-X-200	Folklore LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801370-X	Rosette - Folklore Deluxe
7	Pre-amp Receptacle	708943-X-CAN	OP-PRO Studio 1/4" Jack Can
8	Pre-amp	708943-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
9	Bridge	811761-X	Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16





6774LX

Model Specifications

Bowl	Bowl - Mid Depth Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Satin Urethane Neck/Gloss Peghead Face
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 3/4"
Peg head Angle	7 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Rosette - Folklore Deluxe
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock




Ovation®

6778LX

Service Parts Reference

A	Neck Assembly	6778LX-X-700	Standard Elite LX Neck Assembly, mid depth
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	6778LX-X-200	Standard Elite LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Short - Rosewood, No Slot 6 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





6778LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






6868LX

Service Parts Reference

A	Neck Assembly	6868LX-X-700	Standard Elite LX Neck Assembly, super shallow
1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	6868LX-X-200	Standard Elite LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
8	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
9	Bridge	811811-X	Short - Rosewood, No Slot 6 String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





6868LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Polyester MOP #1 Alante
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






C2059LX

Service Parts Reference

A	Neck Assembly	C759LX-X-700	Custom Legend 12-String LX Neck Assembly, mid depth
1	Machine Heads	850480-X-17	Machine Head Set, 12 String - Minis - Gold w/ Pearl Buttons
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1866-X-690B	20 Standard Notched Fret Set, Center Sound Hole 12-String
B	Top & Bowl Assembly	C779LX-X-200	Custom Legend LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801292-X	Rosette - Acrylic Inlaid Abalone Oak Leaf
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811771-X	Bridge - Short - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-A-00	Screw, Cap - 1/4-20 X 3/4





C2059LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Abalone, Small
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Rosette - Acrylic Inlaid Abalone Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock




Ovation®

C2078LX

Service Parts Reference

A	Neck Assembly	C2078LX-X-700	Custom Elite LX Neck Assembly, deep contour
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	C2078LX-X-200	Custom Elite LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811761-X	Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C2078LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Abalone - Elite Style
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock




Ovation®

C2079LX

Service Parts Reference

A	Neck Assembly	C869LX-X-700	Custom Legend LX Neck Assembly, super shallow
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	C2079LX-X-200	Custom Legend LX Top & Bowl Assembly, deep contour
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801292-X	Acrylic Inlaid Abalone Oak Leaf
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811761-X	Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C2079LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Abalone, Small
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Rosette - Acrylic Inlaid Abalone Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock






C759LX

Service Parts Reference

A	Neck Assembly	C759LX-X-700	Custom Legend 12-String LX Neck Assembly, mid depth
1	Machine Heads	850480-X-17	Machine Head Set, 12 String - Minis - Gold w/ Pearl Buttons
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1866-X-690B	20 Standard Notched Fret Set, Center Sound Hole 12-String
B	Top & Bowl Assembly	C779LX-X-200	Custom Legend LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801292-X	Rosette - Acrylic Inlaid Abalone Oak Leaf
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811771-X	Short - Ebony, No Slot 12-String
10	Pikcup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C759LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Abalone, Small
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Rosette - Acrylic Inlaid Abalone Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock






C778LX

Service Parts Reference

A	Neck Assembly	C778LX-X-700	Custom Elite LX Neck Assembly, mid depth
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	C778LX-X-200	Custom Elite LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811761-X	Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C778LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Abalone - Elite Style
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock






C779LX

Service Parts Reference

A	Neck Assembly	C779LX-X-700	Custom Legend LX Neck Assembly, mid depth
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	C779LX-X-200	Custom Legend LX Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801292-X	Rosette - Acrylic Inlaid Abalone Oak Leaf
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C779LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Dot, Abalone, Small
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Rosette - Acrylic Inlaid Abalone Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock




Ovation®

C868LX

Service Parts Reference

A	Neck Assembly	C868LX-X-700	Custom Elite LX Neck Assembly, super shallow
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	C868LX-X-200	Custom Elite LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811761-X	Bridge - Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C868LX

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Inlay Material & Pattern	Inlay - Abalone - Elite Style
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock






C869LX

Service Parts Reference

A	Neck Assembly	C869LX-X-700	Custom Legend LX Neck Assembly, super shallow
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	117-X-690B	20 Standard Notched Fret Set, Center Sound Hole 6-String
B	Top & Bowl Assembly	C869LX-X-200	Custom Legend LX Top & Bowl Assembly, super shallow
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	801292-X	Rosette - Acrylic Inlaid Abalone Oak Leaf
7	Pre-amp Receptacle	708944-X-CAN	OP-PRO Studio 1/4" Jack with XLR Can
8	Pre-amp	708944-X	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811761-X	Short - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





C869LX

Model Specifications

Bowl	Bowl - Super Shallow Cutaway, ANS, Light Weight, No Window
Bowl Paint Color	Black Textured
Brace Pattern	LX Series Scalloped X
Fingerboard Radius	10"
Fret Number & Size	20 Standard Notched Fret Set, Center Sound Hole 6-String
Inlay Material & Pattern	Inlay - Dot, Abalone, Small
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Studio Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Rosette - Acrylic Inlaid Abalone Oak Leaf
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "AAA"
Truss Rod Adjustment Location	Headstock






K-1111

Service Parts Reference

A	Neck Assembly	N/A	N/A
1	Machine Heads	850525-X-13	Machine Head Set 6-String Nickel - Tone Pros Kluson Style
2	Truss Rod Cover	940028-X	Plastic
3	String Nut	930015-X	Bone Nut - 6 String, Complete
4	Fret Set	N/A	20 Standard
B	Top Assembly	N/A	N/A
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801391-X	Rosette - Old Style Balladeer Braided Rope Over Pearloid, Inlaid
	Pre-amp Receptacle	N/A	None - Straight Acoustic
	Pre-amp	N/A	None - Straight Acoustic
7	Bridge	910313-X	Brazilian Rosewood Bridge Blank
8	Saddle	930005-X	Saddle
	Saddle (Bone)	930021-X	
9	Battery Cover	N/A	N/A
	Shim	950003-X	Shim
	Neck Bolt, Neck Heel	N/A	None
	Neck Bolt, Upper Neck Support Block	N/A	None





K-1111

Model Specifications

Bowl	Bowl - Deep Non Cutaway Fiberglass
Bowl Paint Color	Black Gloss
Brace Pattern	40th Anniversary X Brace
Fingerboard Radius	10"
Fret Number & Size	20 Standard
Inlay Material & Pattern	Inlay - Round Poly Iridescent, Large
Neck Construction	5 Piece, Wide Laminates
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Traditional Series
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	None - Straight Acoustic
Rosette / Epaulets	Rosette - Old Style Balladeer Braided Rope Over Pearloid, Inlaid
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






K-1114

Service Parts Reference

A	Neck Assembly	N/A	N/A
1	Machine Heads	850350-X-13	MACHINE HEAD SET-HAUSER HNi2, Side Mount, Nickel w/ Acrylic Button & Bushing, 6 String
2	Truss Rod Cover	N/A	N/A
3	String Nut	930019-X	12-String Blank Machined for 1.875" 6-String
4	Fret Set	N/A	18 Standard
B	Top & Bowl Assembly	N/A	N/A
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Rosette / Epaulets	801390-X	Rosette - Old Style Josh White & Folklore Oakleaf Over Pearloid, Inlaid
	Pre-amp Receptacle	N/A	None - Straight Acoustic
	Pre-amp	N/A	None - Straight Acoustic
7	Bridge	910313-X	Brazilian Rosewood Bridge Blank
8	Saddle	930005-X	Saddle
	Saddle (Bone)	930021-X	
9	Battery Cover	N/A	N/A
	Shim	950003-X	Shim
	Neck Bolt, Neck Heel	N/A	None
	Neck Bolt, Upper Neck Support Block	N/A	None





K-1114

Model Specifications

Bowl	Bowl - Deep Non Cutaway Fiberglass
Bowl Paint Color	Black Gloss
Brace Pattern	40th Anniversary X Brace - Shifted for 12th Fret
Fingerboard Radius	10"
Fret Number & Size	18 Standard
Inlay Material & Pattern	Inlay - Round Poly Iridescent, Large
Neck Construction	5 Piece, Wide Laminates
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Folklore Shallow Neck Shape
Neck To Body Joint Location	12th Fret
Neck Width At Nut	1 7/8" (1.875")
Peg head Angle	7 Degree
Pre-amp	None - Straight Acoustic
Rosette / Epaulets	Rosette - Old Style Josh White & Folklore Oakleaf Over Pearloid, Inlaid
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset (Matched) "AA"
Truss Rod Adjustment Location	Headstock






U681C

Service Parts Reference

A	Neck Assembly	U681T-X-700	Adamas U681 Neck Assembly, deep
1	Machine Heads	850390-X-17	Machine Head Set - Side Mount, Gold w/ Ebony Buttons, Schaller
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	940527-X	String Nut, Tusq, 1 3/4"
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	U681T-X-200	Adamas U681 Top & Bowl Assembly, deep
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800490-X	Epaulette Assembly, Elite, Non-Cutaway
7	Pre-amp Receptacle	708924-X-CAN	OP-PRO 1/4" Jack with XLR Can
8	Pre-amp	708924-X	OP-PRO Preamp Assembly w/ 1/4" Jack & XLR
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





U681C

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Non Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Satin Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	12th Fret
Neck Width At Nut	1 3/4"
Peg head Angle	7 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack & XLR
Rosette / Epaulets	Epaulette Assembly, Elite, Non-Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas Uni Directional Textured, Birch Core, Top Blank
Truss Rod Adjustment Location	Headstock



Ovation®

VXT

Service Parts Reference

①	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
②	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
③	String Nut	930061-X	String Nut - Tusq - 6 String
④	Fret Set	N/A	22 Frets
⑤	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
⑥	Washer	565111-X-00	Summit Rubber S.B. Washer
7a	Magnetic Neck Pickup	708011-X-15	Seymour Duncan SH-1N, '59 Neck Chrome Covers
7b	Magnetic Bridge Pickup	708660-X-15	Seymour Duncan SH-1B, '59 Bridge Chrome Covers
⑧	Pickup Surrounds	940449-X-00	DMIP 1300BKV 1/4" Surround
	Pickup Surround Mounting Screw	526101-X-00	#2*1/2 Phil Flat A Type AB - BH, 1/4" P/U Mount Screw
	Pickup Height Adjustment Screws	542703-X-00	Screw - #3*48*1 1/4" Phil Pan M/S - BH, H/B Height Adjustment Screw
	Pickup Springs	950134-X	H/B P/U Height Adjustment Spring
⑨	Preamp/Bridge Assy	708945-X	VXT VIP Preamp Assembly, w/Fishman Power Bridge, Chrome with zinc diecast saddles
⑩	Knobs	940916-X-00	KB-160 Potentiometer Knob, Black
⑪	Output Jack Plate	950138-X-15	JCB-2C Football Jack, CH
	Output Jack Plate Screws	524202-X	#4 1/2 Phil Oval Hd Type A S/S Output Jack Plate Screw
	Backplate (2)	950157-X-00	Backplate, VXT - Black
	Backplate Screw	526701-X-00	#3*1/2 Phil Flat Head Type A/B - BH, Viper Backplate Screw





VXT

Model Specifications

Acoustic Pickup Location	Bridge Saddles
Acoustic Pickup Type	Fishman Power Bridge, Chrome with zinc diecast saddles
Brace Pattern	None
Controls	1 Volume, 1 Tone, 1 Blend, 1 Three-way Toggle Switch
Fingerboard Radius	10"
Fret Number & Size	22 Frets
Inlay Material & Pattern	Inlay - Round Poly Iridescent, Large
Magnetic Pickup Location	Neck and Bridge
Magnetic Pickup Types	Seymour Duncan SH-1N, SH-1B '59 Neck Chrome Covers
Neck Construction	1 Piece
Neck Finish	PPG3000
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Low Profile Round
Neck To Body Joint Location	16th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pickup Covers	DMIP 1300BKV 1/4" Surround
Pre-amp	VXT VIP Preamp Assembly, w/ Power Bridge
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	Spruce Bookset "A" Grade
Truss Rod Adjustment Location	Headstock






VXT-'59F

Service Parts Reference

1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	N/A	22 Frets
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Washer	565111-X-00	Summit Rubber S.B. Washer
7a	Magnetic Neck Pickup	708011-X-15	Seymour Duncan SH-1N, '59 Neck Chrome Covers
7b	Magnetic Bridge Pickup	708660-X-15	Seymour Duncan SH-1B, '59 Bridge Chrome Covers
8	Pickup Surrounds	940449-X-00	DMIP 1300BKV 1/4" Surround
	Pickup Surround Mounting Screw	526101-X-00	#2*1/2 Phil Flat A Type AB - BH, 1/4" P/U Mount Screw
	Pickup Height Adjustment Screws	542703-X-00	Screw - #3*48*1 1/4" Phil Pan M/S - BH, H/B Height Adjustment Screw
	Pickup Springs	950134-X	H/B P/U Height Adjustment Spring
9	Preamp/Bridge Assy	708945-X	VXT VIP Preamp Assembly, w/ Power Bridge
10	Knobs	940916-X-00	KB-160 Potentiometer Knob, Black
11	Output Jack Plate	950138-X-15	JCB-2C Football Jack, CH
	Output Jack Plate Screws	524202-X	#4 * 1/2 Phil Oval Hd Type A S/S Output Jack Plate Screw
	Control Cavity Back Plate	950157-X-00	Backplate, VXT - Black
	Backplate	950157-A-00	Backplate, VXT - Black
	Backplate Screw	526701-X-00	#3*1/2 Phil Flat Head Type A/B - BH, Viper Backplate Screw





VXT-'59F

Model Specifications

Acoustic Pickup Location	Bridge Saddles
Acoustic Pickup Type	Fishman Power Bridge, Chrome with zinc diecast saddles
Brace Pattern	None
Controls	1 Volume, 1 Tone, 1 Blend, 1 Three-way Toggle Switch
Fingerboard Radius	10"
Fret Number & Size	22 Frets
Inlay Material & Pattern	MOP Dot Inlays, Masecraft
Magnetic Pickup Location	Neck and Bridge
Magnetic Pickup Types	Seymour Duncan SH-1N, SH1-B '59 Neck Chrome Covers
Neck Construction	1 Piece
Neck Finish	PPG3000
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Low Profile Round
Neck To Body Joint Location	16th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pickup Covers	DMIP 1300BKV 1/4" Surround
Pre-amp	VXT VIP Preamp Assembly, w/ Power Bridge
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	8/4 Curly Maple Blocks: AAA
Truss Rod Adjustment Location	Headstock






VXT-BSF

Service Parts Reference

1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910294-X	Truss Rod Cover - Rosewood
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	N/A	22 Frets
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Washer	565111-X-00	Summit Rubber S.B. Washer
7a	Magnetic Neck Pickup	708011-X-15	Seymour Duncan SH-1N, '59 Neck Chrome Covers
7b	Magnetic Bridge Pickup	708660-X-15	Seymour Duncan SH-1B, '59 Bridge Chrome Covers
8	Pickup Surrounds	940449-X-00	DMIP 1300BKV 1/4" Surround
	Pickup Surround Mounting Screw	526101-X-00	#2*1/2 Phil Flat A Type AB - BH, 1/4" P/U Mount Screw
9	Pickup Height Adjustment Screws	542703-X-00	Screw - #3*48*1 1/4" Phil Pan M/S - BH, H/B Height Adjustment Screw
	Pickup Springs	950134-X	H/B P/U Height Adjustment Spring
10	Preamp/Bridge Assy	708945-X	VXT VIP Preamp Assembly, w/ Power Bridge
11	Knobs	940916-X-00	KB-160 Potentiometer Knob, Black
	Output Jack Plate	950138-X-15	JCB-2C Football Jack, CH
	Output Jack Plate Screws	524202-X	#4 * 1/2 Phil Oval Hd Type A S/S Output Jack Plate Screw
	Control Cavity Back Plate	950157-X-00	Backplate, VXT - Black
	Backplate	950157-X-00	Backplate, VXT - Black
	Backplate Screw	526701-X-00	#3*1/2 Phil Flat Head Type A/B - BH, Viper Backplate Screw
	String Anchor Grommets	950082-X-15	String Anchor Grommets, Chrome





VXT-BSF

Model Specifications

Acoustic Pickup Location	Bridge Saddles
Acoustic Pickup Type	Fishman Power Bridge, Chrome with zinc diecast saddles
Brace Pattern	None
Controls	1 Volume, 1 Tone, 1 Blend, 1 Three-way Toggle Switch
Fingerboard Radius	10"
Fret Number & Size	22 Frets
Inlay Material & Pattern	MOP Dot Inlays, Masecraft
Magnetic Pickup Location	Neck and Bridge
Magnetic Pickup Types	Seymour Duncan SH-1N, SH1-B '59 Neck Chrome Covers
Neck Construction	1 Piece
Neck Finish	PPG3000
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Low Profile Round
Neck To Body Joint Location	16th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pickup Covers	DMIP 1300BKV 1/4" Surround
Pre-amp	VXT VIP Preamp Assembly, w/ Power Bridge
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	8/4 Curly Maple Blocks: AAA
Truss Rod Adjustment Location	Headstock






VXTS

Service Parts Reference

1	Machine Heads	850310-X-15	Machine Head Set- Chrome w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930067-X-00	String Nut, 6-String 1 11/16", Black Graph Tech
4	Fret Set	N/A	22 Frets
5	Strap Knob	950072-X-13	Strap Lock - Dual Design, Nickel
6	Washer	565111-X-00	Summit Rubber S.B. Washer
7a	Magnetic Neck Pickup	708120-X-00	Seymour Duncan SP90-1N, P90
7b	Magnetic Bridge Pickup	708130-X-00	Seymour Duncan SP90-1B, P90
8	Pickup Surrounds	940446-X-00	Cover, P90, Black
	Pickup Surround Mounting Screw	526101-X-00	#2*1/2 Phil Flat A Type AB - BH, 1/4" P/U Mount Screw
	Pickup Height Adjustment Screws	506201-X-00	Screw-#4 X 1-5/8", Phillips Flat Head Steel Wood Screw, Black. P-90s
	Pickup Springs	950098-X	Spring-P-90 Height Adjustment .210 X .750" - .028" diameter MW Compression
9	Preamp/Bridge Assy	708945-X	VXT VIP Preamp Assembly, w/ Power Bridge
10	Knobs	940916-X-00	KB-160 Potentiometer Knob, Black
11	Output Jack Plate	950138-X-15	JCB-2C Football Jack, CH
	Output Jack Plate Screws	524202-X	#4 * 1/2 Phil Oval Hd Type A S/S Output Jack Plate Screw
	Control Cavity Back Plate	950157-X-00	Backplate, VXT - Black
	Backplate	950157-X-00	Backplate, VXT - Black
	Backplate Screw	526701-X-00	#3*1/2 Phil Flat Head Type A/B - BH, Viper Backplate Screw
	String Anchor Grommets	950082-X-15	String Anchor Grommets, Chrome





VXTS

Model Specifications

Acoustic Pickup Location	Bridge Saddles
Acoustic Pickup Type	Fishman Power Bridge, Chrome with zinc diecast saddles
Brace Pattern	None
Controls	1 Volume, 1 Tone, 1 Blend, 1 Three-way Toggle Switch
Fingerboard Radius	10"
Fret Number & Size	22 Frets
Inlay Material & Pattern	None
Magnetic Pickup Location	Neck and Bridge
Magnetic Pickup Types	Seymour Duncan SP90-1N, P90; SP90-1B, P90
Neck Construction	1 Piece
Neck Finish	Conversion Varnish
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Low Profile Round
Neck To Body Joint Location	16th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pickup Covers	Cover, P90, Black
Pre-amp	VXT VIP Preamp Assembly, w/ Power Bridge
Rosette / Epaulets	None
Scale Length	25 1/4"
Top Material & Grade	Poplar, 10/4, 8" & Wider
Truss Rod Adjustment Location	Headstock






W597

Service Parts Reference

A	Neck Assembly	W597-X-700	Adamas CVT Neck Assembly, mid depth
1	Machine Heads	850470-X-17	Machine Head Set - Gold w/ Pearl Buttons w/ Ovation Logo
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930061-X	String Nut - Tusq - 6 String
4	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	W597-X-200	Adamas CVT Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708942-X	VIP Receptacle Assembly
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





W597

Model Specifications


Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas 2 * 2 Twill, Textured, Poplar Core, Top Blank, From Adamas Cost Sheets
Truss Rod Adjustment Location	Headstock



Ovation® **W597MEII**

Service Parts Reference

A	Neck Assembly	W597MEII-X-700	Adamas MEII Neck Assembly, mid depth
1	Machine Heads	850310-X-17	Machine Head Set - Gold w/ Ovation Logo
	Truss Rod Cover	N/A	None
2	String Nut	930061-X	String Nut - Tusq - 6 String
3	Fret Set	1998-X-690A	22 Standard Notched Fret Set, Elite 6-String
B	Top & Bowl Assembly	W597MEII-X-200	Adamas MEII Top & Bowl Assembly, mid depth
4	Strap Knob	950072-X-00	Strap Lock - Dual Design, Black
5	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
6	Pre-amp Receptacle	708922-X-CAN	OP-PRO 1/4" Jack Can
7	Pre-amp	708922-X	OP-PRO Preamp Assembly w/ 1/4" Jack
8	Bridge	811151-X	Bridge - Full Size - Ebony, No Slot 6-String
9	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Battery Cover	N/A	N/A
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





W597MEII

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Kaman Bar, Deep Heel
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 11/16"
Peg head Angle	10 Degree
Pre-amp	OP-PRO Preamp Assembly w/ 1/4" Jack
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas 2 * 2 Twill, Textured, Poplar Core, Top Blank, From Adamas Cost Sheets
Truss Rod Adjustment Location	Neck Tenon




Ovation®

W598

Service Parts Reference

A	Neck Assembly	W598-X-700	Adamas CVT 12-String Neck Assembly, mid depth
1	Machine Heads	850480-X-17	Machine Head Set, 12 String - Minis - Gold w/ Pearl Buttons
2	Truss Rod Cover	910293-X	Truss Rod Cover - Ebony
3	String Nut	930062-X	String Nut - Tusq - 12 String
4	Fret Set	1858-X-690B	22 Standard Notched Fret Set, Elite 12-String
B	Top & Bowl Assembly	W598-X-200	Adamas 12-String CVT Top & Bowl Assembly, mid depth
5	Strap Knob	950072-X-17	Strap Lock - Dual Design, Gold
6	Rosette / Epaulets	800580-X	Epaulette Assembly, Cutaway
7	Pre-amp Receptacle	708942-X	VIP Receptacle Assembly
8	Pre-amp	708939-X	VIP Preamp Module, Complete
9	Bridge	811161-X	Full Size - Ebony, No Slot 12-String
10	Pickup Assy/ Saddle Only	704600-X 700714-X-19	Saddle One-Piece A/E Classic
	Shim	930070-X	Shim - OCP-6 Pickup, 1.00mm
	Battery Cover	N/A	N/A
	Neck Bolt, Neck Heel	547601-X-00	Screw, Cap - 1/4-20 X 1-5/16
	Neck Bolt, Upper Neck Support Block	547602-X-00	Screw, Cap - 1/4-20 X 3/4





W598

Model Specifications

Bowl Paint Color	Black Textured
Brace Pattern	Brace Set - Adamas Cutaway
Fingerboard Radius	10"
Inlay Material & Pattern	None
Neck Construction	5 Piece
Neck Finish	Gloss Urethane
Neck Reinforcement	Tension Rod - ANS Dual Acting
Neck Shape	Ovation LX Soft V Shape
Neck To Body Joint Location	14th Fret
Neck Width At Nut	1 7/8"
Peg head Angle	10 Degree
Pre-amp	VIP Preamp Module, Complete
Rosette / Epaulets	Epaulette Assembly, Cutaway
Scale Length	25 1/4"
Top Material & Grade	Adamas 2 * 2 Twill, Textured, Poplar Core, Top Blank
Truss Rod Adjustment Location	Headstock

